

MATERIAL SAFETY DATA SHEET

Photochromic Water Based Screen Ink

Page 1 of 3

MSDS117 Revision 1

Revision Date 10/07/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Photochromic Water Based Screen Ink

Description Water based, UV light sensitive, color change screen ink.

Company LCR Hallcrest

1911 Pickwick Lane

Glenview

IL 60026

Telephone +1 847 998 8580 Fax +1 847 998 6866 Emergency telephone +1 847 998 8580

number

Intended use Manufacture of ultra violet-sensitive products and decorative effects.

2. HAZARDS IDENTIFICATION

Statement of Hazard

Main Hazards May cause sensitization by skin contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

Conc. CAS#

 4,4'-Isopropylidenediphenol
 0-10%
 80-05-7

 Formaldehyde...%
 0-0.5%
 50-00-0

(Formaldehyde)

4. FIRST AID MEASURES

Skin contact Irritating to skin. Wash off immediately with plenty of soap and water. Remove

contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the

eyelids open. Seek medical attention if irritation or symptoms persist.

MSDS117 Revision 1
Revision Date 10/07/2014

Inhalation Irritating to the respiratory system. Inhalation may cause coughing, tightness of

the chest and irritation of the respiratory system. Move the exposed person to

fresh air. Seek medical attention.

Ingestion Ingestion may cause nausea and vomiting. DO NOT INDUCE VOMITING. Seek

medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Carbon oxides.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Wear suitable

protective equipment.

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Sweep up. Transfer to suitable,

labeled containers for disposal. Clean spillage area thoroughly with

plenty of water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the

working area. Adopt best Manual Handling considerations when

handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

Store in correctly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values

Formaldehyde...% ACGIH TLV TWA: - ACGIH TLV STEL: C 0.3 ppm (Formaldehyde) Notations: SEN; A2 OSHA PEL 8hr TWA ppm: -

OSHA PEL 8hr TWA

mg m3: - Skin Designation: -

Individual protection measures Wear chemical protective clothing.

Eye / face protection Approved safety goggles.

Skin protection – Hand protection Chemical resistant gloves (PVC)

Respiratory protection Wear: Suitable respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Viscous liquid

Color Various colors according to type

Odor Characteristic

Boiling point 100C

Revision Date 10/07/2014

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION

Further information No data is available on this product.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Inventories Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
4,4'-	Υ	Υ	Y 1.0	N	N	N	N	N	N
Isopropylidenediphenol Formaldehyde%	Υ	Υ	Y 0.1	Υ	N	Υ	Υ	Y 500	Y 100

16. OTHER INFORMATION

Statement of Hazard

Further information The information supplied in this Safety Data Sheet is designed only as guidance

for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination

with any other materials or in any other process.

TSCA All components are TSCA compliant.

HMIS LABELLING HEALTH 1, FLAMMABILITY 0, PHYSICAL HAZARD 0 PERSONAL

PROTECTION: B.